



INSULATION JUST  
GOT BETTER

## ABOUT ENBI

---

We are a multi-material company with a passion for leading the way through products that help to protect the earth's scarce resources. Enbi offers solutions to make your product quieter, greener, and more sustainable using materials to absorb noise and reduce energy losses. Thanks to our global footprint we provide continuous development of products and processes around the world.

We have over 50 years of experience in green technologies and can help your company to grow.



## WHAT ARE THE ADVANTAGES OF ENBI?

---

### - OVER 50 YEARS OF EXPERIENCE WITH GREEN TECHNOLOGIES

#### SUSTAINABILITY

- Helping to reduce your carbon footprint by installing EnbiTherm jackets and using less energy.
- Converting of innovative, high-tech and high-performance materials designed to save energy.
- Most Enbi products can be recycled at the end of life.

#### ENERGY EFFICIENCY

- Our product can significantly improve energy efficiency.
- Enbi products can save up to 100 times the energy it takes to make them.

#### SAFETY

- Meeting B fire rating.
- Ensuring fire safe thermal, acoustic and mechanical materials.
- Keeping noise to a minimum by using anti-vibration and damping foams.

#### DESIGNED FOR A PEACEFUL HOME

- Reducing noise by up to 30 dB(A).
- Reducing system vibration and structural noise.



# CONTENTS

---

ABOUT ENBI 2

---

WHAT ARE THE ADVANTAGES OF ENBI? 2

---

ENBICOMFORT 4

---

COMPRESSOR INSULATION JACKETS 5

---

ENBITHERM 6

---

HOT WATER BUFFER TANK INSULATION JACKETS 7

---

CONTACT DETAILS 8

---



# ENBICOMFORT



---

## - THE SOLUTION TO SILENCE

The bigger cities become, the more people suffer from excessive noise and vibration. This is why we invented EnbiComfort.

EnbiComfort is a range of materials that are highly effective, easy to install and a cost effective noise control product. It is especially suitable for insulating across a wide range of frequencies and effectively reducing structure borne noise and vibration. In comparison to traditional products, EnbiComfort's multi-layer acoustic insulation materials achieve greater noise reduction with thinner wall thicknesses.

EnbiComfort provides acoustic damping leading to not only higher levels of end user comfort, but also in many applications a sense of calm and well-being. Increasing appreciation of low noise levels in living space and offices is reflected in higher expectations from consumers. EnbiComfort can help you to meet the increased expectations of your customers.



## KEY TECHNICAL FEATURES

- Low fogging/low emission
- FMVSS 302, UL94 (HF-1), EN 13501 B2, EN 45545
- Temperature range -40 °C to 180 °C (-40 °F to 356 °F)
- Oleophobic and hydrophobic
- Acoustic test (alpha cabin, acoustic impedance)
- Customized product development and engineering support with 50+ years of experience



# COMPRESSOR INSULATION JACKETS

---



Let us introduce you to our class-leading AC compressor insulation jackets: EnbiComfort by Enbi. EnbiComfort provides outstanding thermal and acoustic performance, helping you optimize energy efficiency while supporting green initiatives worldwide. Whether for HVAC systems or air conditioners, our EnbiComfort compressor insulation jackets deliver superior protection.

One of our key strengths lies in our ability to provide tailored solutions. EnbiComfort compressor insulation jackets can be customized to fit any shape or profile, enabling seamless installation for equipment manufacturers across the globe. This ensures a hassle-free integration process and guarantees maximum effectiveness and performance.

When you are choosing Enbi and EnbiComfort, you are selecting a transformative approach to compressor insulation solutions. Join us on our mission to forge a more energy-efficient future and experience the Enbi difference first hand.



# ENBITHERM

## - SAVING ENERGY, PROTECTING SCARE RESOURCES



EnbiTherm is a range of recyclable fleece and foam insulation, that provides superior protection against thermal losses, condensation and moisture accumulation that can lead to mold. It is the ideal choice for insulating mechanical systems including HVAC, chiller, and air handling systems.

For applications requiring fire ratings EnbiTherm can meet Bs2, D0 standard giving unparalleled safety should the worst case happen. Architects, government institutions, hospitals and commercial businesses of all types value the long-term performance and peace of mind that EnbiTherm can provide when used in its HVAC systems.

The EnbiTherm's moisture-resistant characteristics and superior thermal performance make it especially valuable on surfaces that are susceptible to condensation. Moisture can soak through fibrous types on insulations, degrading their thermal performance, leaving them susceptible to fungal growth and ultimately shortening their lifecycle. Moisture-resistant EnbiTherm can maintain its physical and thermal integrity for the life of the mechanical system making it the perfect choice for your application.

## MATERIALS AVAILABLE IN THE RANGE INCLUDE:

- UR-foams 12-650 kg/m<sup>3</sup>
- Polyethylene, melamine resin, composite, synthetic EPDM and filter (15-80 ppi) foams
- Heavy layer (bitumen)
- Fleece (non-wovens)
- Self-adhesives
- Foils (PET, copper, fleece, aluminium)
- EPS

Enbi also has the capability to refine materials by laminating special foils and adhesives (for example PUR-foils, PET, aluminium, copper, conductive coatings). Our material range is based on PUR foams and similar material groups such as:


- PUR-foam from 10 kg/m<sup>3</sup> up to 650 kg/m<sup>3</sup>
- Polyester, polyether, polyethylene, microcellular and melamine resin foam
- EPDM neoprene rubber, CR-EPDM etc
- Non-woven
- Silicone-rubber
- Homogeneous polyurethanes
- From 45 ShA up to 95 ShA

# HOT WATER BUFFER TANK INSULATION JACKETS

With our planet increasingly impacted by resource scarcity, conservation has become a global priority. This global trend is significant for Enbi and our EnbiTherm jackets have a unique positive contribution to protecting scarce resources.

The European community is leading the world with rigorous environmental regulations for heating systems and insulation capabilities. In some water tanks associated with heating systems, new energy certification and labels are mandatory (e.g. label “B” for a tank up to 500 liters/132 US gal). These optimized insulations are contributing to a better environmental balance and providing cost savings to residential and commercial customers.

Customized and lightweight, EnbiTherm gives you the freedom to design innovative systems to provide end user benefits such as reduced energy costs, a reduced carbon footprint and better space utilization.



	ENBI LINEA	ENBI TRAPEZIO	ENBI COOL	ENBI VACUUM
DESCRIPTION	Our benchmark insulation jacket. Combining fleece and PS sheet for maximum energy saving and long life. Enbi Linea is the ultimate light weight, high performance jacket where ErP Label B or C is needed.	Enbi Trapezio is a high-quality tank insulation made from a combination of EPS and fleece. Enbi Trapezio can be used to achieve ErP Label B or A.	Enbi Cool jacket is made from a combination of closed-cell rubber foam and PS sheets. Enbi Cool is the perfect solution for chilled water tanks where corrosion under insulation is a problem.	A premium combination of Enbi Linea (fleece) with integrated vacuum panels. Enbi Vacuum is designed for extreme conditions where ErP Label A is needed.
CONSTRUCTION	PET fleece, PS sheet, PS fixtures (profile).	EPS, PET fleece, PS sheet, PS fixtures (profile).	Precision cut insulation bonded to the tank. The jacket can be protected by PS sheets if needed.	PS sheet, fleece/vacuum panels, PS fixtures (profile).
FIRE RATING	B1 according to DIN 4102-1	B1 according to DIN 4102-1	B1 according to DIN 4102-1	B1 according to DIN 4102-1
ENERGY RATING	DIN12667 Lambda: 0.032 - 0.043 watt	DIN12667 Lambda: 0.035 watt	DIN12667 Lambda: 0.033 watt	DIN12667 Lambda: 0.018 watt Thickness: 20mm
TEMPERATURE RANGE	85 °C to max. 130 °C 185 °F to max. 260 °F	Max. 70 °C Max. 158 °F	Max. 85 °C Max. 185 °F	Max. 130 °C Max. 260 °F



Our mission is to deliver the highest level of service and comprehensive support to our OEM customers through our innovative solutions, cost-effective global footprint, and dedicated workforce driven by our flexible operating model. At the same time, we provide a safe and rewarding environment for our team members.

  Enbi Group

#### **Enbi Rochester, Inc.**

 +1 585 647 1651

 465 Paul Road, Rochester, NY 14624, USA

#### **Enbi Germany GmbH**

 +49 2171 5800

 Stauffenbergstrasse 3, 51379 Leverkusen, Germany


#### **Hungary Enbi Kft.**

 +36 35 551 600

 2651 Rétság, Ipari Park 6., Hungary

#### **Enbi (Zhuhai) Industrial Co., Ltd.**

 +86 756 8817 188

 No. 362, North Building 3, DingWan 7th Road, Ding Jia Wan Industrial Area, San Zao Town, Jin Wan, Zhuhai, Guangdong Province, 519040, China

